



**PERFIL EPIDEMIOLÓGICO DE DEPENDÊNCIA NICOTÍNICA DOS PACIENTES  
ATENDIDOS EM PROGRAMA MULTIDISCIPLINAR DE TRATAMENTO DO TABAGISMO  
EM MUNICÍPIO DO INTERIOR PARAIBANO**

**Rodrigo Assis Machado de Araújo<sup>1</sup>, Deborah Rose Galvão Dantas<sup>2</sup>**

**RESUMO**

**Objetivo:** Traçar o perfil epidemiológico de dependência nicotínica dos pacientes atendidos no Programa multidisciplinar de Tratamento do Tabagismo realizado no Hospital Universitário Alcides Carneiro. **Metodologia:** Foi realizado um estudo observacional, descritivo, retrospectivo durante o período de agosto de 2020 a setembro de 2021. **Resultados:** Foram analisados 67 questionários aplicados nos anos de 2016 a 2020 disponíveis em banco de dados e/ou fisicamente acessíveis. O grupo é composto, predominantemente, por indivíduos do sexo feminino, na faixa etária de 40-49 anos, com dependência a nicotina elevada ou muito elevada, com renda familiar menor ou igual a 1 salário mínimo, com grau de escolaridade de ensino fundamental incompleto e estado civil de casado. Foi evidenciado um consumo médio de 1 maço por dia de cigarros. A maioria dos participantes acredita ter a capacidade de parar de fumar. **Conclusão:** A análise do perfil epidemiológico de determinada população é de grande importância para a melhoria dos serviços de saúde, permitindo a obtenção de dados mais pertinentes e verossímeis a despeito do grupo abordado, sendo a epidemiologia uma importante ferramenta de impacto social permitindo a realização de intervenções focadas nas necessidades específicas apresentadas pela população estudada.

**Palavras-chave:** Epidemiologia; Tabagismo; Dependência nicotínica.

---

<sup>1</sup>Aluno do curso de Medicina do departamento UAMED, UFCG, Campina Grande, PB, e-mail: rodrigo.roh12@gmail.com

<sup>2</sup>Professora Dra. da UAMED, UFCG, Campina Grande, PB, e-mail: deborahdantas4@hotmail.com

**EPIDEMIOLOGICAL PROFILE OF NICOTINE DEPENDENCE OF PATIENTS  
ATTENDED IN A MULTIDISCIPLINARY TOBACCO TREATMENT PROGRAM IN A  
CITY IN THE INTERIOR OF PARAÍBA**

**ABSTRACT**

**Objective:** To trace the epidemiological profile of nicotine dependence of patients treated in the Multidisciplinary Program for the Treatment of Tobacco Use carried out at Hospital Universitário Alcides Carneiro. **Methodology:** An observational, descriptive, retrospective study was carried out from August 2020 to September 2021. **Results:** 67 questionnaires applied in the years 2016 to 2020 available in a database and/or physically accessible were analyzed. The group is predominantly composed of female individuals, aged 40-49 years, with high or very high nicotine dependence, with a family income of less than or equal to 1 minimum wage, with incomplete elementary school education. and marital status of married. An average consumption of 1 pack of cigarettes per day was evidenced. Most participants believe they have the ability to quit smoking. **Conclusion:** The analysis of the epidemiological profile of a given population is of great importance for the improvement of health services, allowing for more pertinent and credible data to be obtained regardless of the group addressed, with epidemiology being an important tool for social impact, allowing for the realization of interventions focused on the specific needs presented by the studied population.

**Keywords:** Epidemiology; Smoking; Nicotine addiction.